



One Source. Every Solution. Superior Results.

OSHA'S HAZARD COMMUNICATION STANDARD
U.S. DEPARTMENT OF LABOR
MATERIAL SAFETY DATA SHEET
MSDS

29 CFR 1910.1200
IDENTITY NO: PP1659

OMB NO: 1218-0072
NAME: HARDROCK HARD SURFACE POLISH PROTECTOR

SECTION 1

MANUFACTURER'S/SHIPPER'S NAME: International Polishing Techniques, Inc.
ADDRESS: 6683 SCHUSTER STREET PHONE:(702) 895-9865
CITY: LAS VEGAS STATE: NEVADA CONTACT:KEN WILLIAMS
DATE PREPARED: 4/15/02 EMERGENCY PHONE (CHEMTREC): (800) 424-9300

SECTION 2 - HAZARDOUS INGREDIENTS/IDENTITY INFORMATION

Table with 5 columns: HAZARDOUS COMPONENTS, CAS#, OSHA PEL, ACGIH TLV, WEIGHT %. Rows include PETROLEUM NAPHTHA, MORPHOLINE, SODIUM NITRITE, A-46 CONSISTING OF 20%, PROPANE (19%), and ISOBUTANE (81%).

SECTION 3 - PHYSICAL/CHEMICAL CHARACTERISTICS

BOILING POINT: 100° F EVAPORATION RATE: (n-Butyl Acetate=1) >1
% VOLATILE VOLUME: N/A VAPOR DENSITY:HEAVIER THAN AIR
WEIGHT PER GALLON (CONC) 7.17 LB SOLUBILITY IN WATER:MISCIBLE
APPEARANCE AND ODOR: COLORLESS/SOLVENT ODOR

SECTION 4 - FIRE AND EXPLOSION HAZARD DATA

FLASH POINT OF CONCENTRATE: 145° F FLAMMABLE LIMITS: NOT TESTED
LEL: NOT TESTED UEL:NOT TESTED
pH:NOT TESTED DOT #:ORM-D
NFPA HAZARD RATING H F R S
(0=LEAST, 4=EXTREME) 2 2 0 0

EXTINGUISHING MEDIA: CO2, FOAM,WATER FOG, DRY CHEMICALS

SPECIAL FIRE FIGHTING PROCEDURES: WEAR SELF-CONTAINED BREATHING APPARATUS WITH FULL FACE PIECE OPERATED IN PRESSURE-DEMAND MODE WHEN FIGHTING FIRES. WATER MAY BE USED ON CONTAINERS EXPOSED TO INTENSE HEAT TO COOL THEM AND PREVENT VAPOR PRESSURE BUILDUP WHICH COULD RESULT IN CONTAINER RUPTURE. IF AEROSOL CONTAINERS BURST, STAY CLEAR UNTIL BURSTING IS COMPLETED. AEROSOLS CAN BE PROJECTILES IF BURSTING.
UNUSUAL FIRE AND EXPLOSION HAZARDS: AEROSOLS MAY BURST AT TEMPERATURES ABOVE120° F. PRODUCT IS FLAMMABLE UNDER EXPLOSIVE CONDITIONS. KEEP AWAY FROM IGNITION SOURCE/OPEN FLAMES.

SECTION 5 - REACTIVITY DATA

PP1659 Page 2

STABILITY: STABLE

CONDITIONS TO AVOID: OPEN FLAME OR MEANS WHICH CAUSE HIGH TEMPERATURE

INCOMPATIBLE MATERIALS TO AVOID: STRONG OXIDIZERS

HAZARDOUS DECOMPOSITION OR BYPRODUCTS: CARBON MONOXIDE/DIOXIDE

HAZARDOUS POLYMERIZATION: NONE

SECTION 6 - HEALTH HAZARD DATA

ROUTES OF ENTRY

INHALATION: POSSIBLE

SKIN: POSSIBLE

OSHA CARCINOGENICITY: NONE

IARC MONOGRAPHS: NONE

INGESTION: POSSIBLE

HEALTH HAZARDS: SAME SIGNS & SYMPTOMS OF EXPOSURE

NTP: NONE

SIGNS & SYMPTOMS OF OVER EXPOSURE

EYES: BURNING, IRRITATION

SKIN: IRRITATION, DRYNESS, AND CRACKING

INTEGESTION: NAUSEA, IRRITATION

INHALATION: IRRITATION, DROWSINESS

MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE: SAME AS SIGNS AND SYMPTOMS OF OVEREXPOSURE.

EMERGENCY FIRST AID PROCEDURES:

EYES: FLUSH WITH WATER FOR 15 MINUTES. IF IRRITATION PERSISTS CALL PHYSICIAN.

SKIN: WASH WITH SOAP AND WATER. IF IRRITATION PERSISTS CALL PHYSICIAN.

INGESTION: DO NOT INDUCE VOMITING, CALL PHYSICIAN.

INHALATION: GET PERSON TO FRESH AIR. IF UNCONSCIOUS CALL PHYSICIAN.

SECTION 7 - PRECAUTIONS FOR SAFE HANDLING AND USE

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED: SOAK UP WITH INERT, ABSORBENT MATERIAL. SCOOP UP AND PLACE IN A PROPER WASTE DISPOSAL CONTAINER.

WASTE DISPOSAL METHOD:

DISPOSE OF IN ACCORDANCE WITH STATE AND LOCAL REGULATIONS.

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING: STORE IN COOL, DRY PLACE. OUT OF DIRECT SUNLIGHT.

OTHER PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. FOLLOW DIRECTIONS ON THE CONTAINER FOR PROPER USE OF THIS PRODUCT. KEEP AWAY FROM HEAT AND FLAME.

SECTION 8 - CONTROL MEASURES

RESPIRATORY PROTECTION: OPEN ALL DOORS AND WINDOWS. EXPOSURES ABOVE THE TLV OR PEL REQUIRE A NIOSH APPROVED RESPIRATOR EQUIPPED FOR THE EXPOSURE OR SUITABLE RESPIRATORY PROTECTION PER 29 CFR 1910.134.

VENTILATION LOCAL EXHAUST: IF AVAILABLE

SPECIAL: NONE

MECHANICAL: IF AVAILABLE

OTHER: NONE

PROTECTIVE GLOVES: RUBBER, PLASTIC

EYE PROTECTION: GLASSES, GOGGLES

OTHER PROTECTIVE CLOTHING OR EQUIPMENT: NONE

WORK HYGENIC PRACTICES: USE COMMON SENSE AND CARE AROUND CHEMICALS. NEVER MIX CHEMICALS. CONSULT YOUR SUPERVISOR FOR OTHER PRACTICES. ALL PRACTICES DEPEND ON YOUR SPECIFIC BUSINESS. DIRECTIONS FOR USE ARE NORMALLY FOUND ON LABEL WHICH WILL DICTATE ENGINEERING AND CONTROL MEASURES

OTHER SPECIAL REQUIREMENTS: NONE